



# Built to Deliver

Professional Grade Insulated Carriers  
for Catering and Delivery

Food Quality and Safety Kitchen to Customer



**CAMBRO**  
TRUSTED FOR GENERATIONS™



# Ready to Deliver

Cambro offers the widest variety of delivery equipment options in the industry.

We'll help you design the optimal system to grow your delivery business while maintaining the food safety, flavors and textures that built your loyal following.



## Food Safety and Quality

From the time the food is prepped to the moment it reaches the customer's doorstep, every second counts. Keep food safely hot or cold every step of the way.

- At-counter holding for pick-up or takeout.
- Curbside pick-up.
- Delivery.

## Employee Safety

High-tech materials and ergonomic design reduce the load for employees.

- Lightweight options.
- Secure carrying straps.
- Dollies for large catering orders.

### Icon Directory



Lightweight – Made of EPP (Expanded Polypropylene) an eco friendly high performance insulation material.



Chemically Inert – unaffected by oil, grease and most chemicals.



Excellent Energy Absorption – can withstand substantial impact without damage.



Great Structural Strength – capable of handling significant loads while maintaining its shape and form.



Dishwasher safe.



Safe for food contact.



100% Recyclable.

## Cambro® GoBags® Professional Grade Insulated Carriers

Lightweight GoBags are great for single-stop deliveries of hot and cold menu items, especially pizza.

- Sturdy nylon fabric.
- High-density insulation.
- Designed to protect food quality.
- Sewn-in carrying straps.
- Minimal storage space.



## Cam GoBox® Professional Grade Insulated Carriers



Made of Expanded Polypropylene (EPP), an eco-friendly, high performance insulation material, Cam GoBoxes are incredibly lightweight, making delivery easy.

- Hold safe temperatures over four hours.
- Great for holding for pick-up.
- Good for multiple stops or large events.
- Stackable.
- Most economical option.



# Cam GoBox® Professional Grade Insulated Carriers

## GN Top Loaders

### A BUILT-IN LABEL AREA

Keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.



### CAM GOBOXES

Inter-stack and also stack with major competitive brands.

### LINE YOUR CAM GOBOX

With a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.



## GN Top Loader – Large Handles

### OPTIONAL INSERT KIT

For an additional cold boost, use with optional Camchiller® Insert Kit EPPCTLPKG. Built-in cut-outs support cold transfer while protecting food from condensation.



### ERGONOMIC HANDLES

Comfortable handles allow easy and safe lifting of the EPP180LH GoBox.

### EASY LOADING AND UNLOADING

Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.



### CAM GOHEAT™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

TEMPERATURE RETENTION

**4+ hours**



4 Built to Deliver

**Note:** Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 120°C will result in damage to the carrier.

# Cam GoBox® Professional Grade Insulated Carriers

## GN Top Loaders

### For Half-Size (GN 1/2) Food Pans



|                      |                             |
|----------------------|-----------------------------|
| <b>CODE</b>          | <b>EPP260</b>               |
| <b>CAPACITY</b>      | 1 each 15 cm deep food pan* |
| <b>EXTERIOR DIM.</b> | L 39 x W 33 x H 25,7 cm     |
| <b>INTERIOR DIM.</b> | L 33 x W 27 x H 19,3 cm     |
| <b>UNIT WEIGHT</b>   | 0,62 kg                     |
| <b>VOLUME</b>        | 16,9 L                      |
| <b>COLOR</b>         | Black (110)                 |

Case Pack: 1



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>EPP280</b> without Strap<br><b>EPP280BKST</b> with Black Strap<br><b>EPP280RDST</b> with Red Strap |
| <b>CAPACITY</b>      | 1 each 20 cm deep food pan*   |
| <b>EXTERIOR DIM.</b> | L 39 x W 33 x H 31,6 cm   |
| <b>INTERIOR DIM.</b> | L 33 x W 27 x H 25,3 cm   |
| <b>UNIT WEIGHT</b>   | 0,7 kg / 0,8 kg with strap  |
| <b>VOLUME</b>        | 22,3 L  |
| <b>COLOR</b>         | Black (110)   |

Case Pack: 1



### For Full-Size (GN 1/1) or Half-Size (GN 1/2) Food Pans



|                      |                             |
|----------------------|-----------------------------|
| <b>CODE</b>          | <b>EPP140</b>               |
| <b>CAPACITY</b>      | 1 each 10 cm deep food pan* |
| <b>EXTERIOR DIM.</b> | L 60 x W 40 x H 20,7 cm     |
| <b>INTERIOR DIM.</b> | L 53,8 x W 33,8 x H 14,5 cm |
| <b>UNIT WEIGHT</b>   | 0,91 kg                     |
| <b>VOLUME</b>        | 26 L                        |
| <b>COLOR</b>         | Black (110)                 |

Case Pack: 1



|                                  |                             |
|----------------------------------|-----------------------------|
| <b>CODE</b>                      | <b>EPP160/EPP160CL</b>      |
| <b>CAPACITY</b>                  | 1 each 15 cm deep food pan* |
| <b>EXTERIOR DIM.</b>             | L 60 x W 40 x H 25,7 cm     |
| <b>INTERIOR DIM.</b>             | L 53,8 x W 33,8 x H 19,5 cm |
| <b>UNIT WEIGHT</b>               | 1,07 kg                     |
| <b>VOLUME</b>                    | 35,5 L                      |
| <b>STANDARD LID COLOR EPP160</b> | Black (110)                 |

**COLOR LID EPP160CL** Lime (360), Yellow (361), Blue (362), Orange (363), Red (365)

Case Pack: 1



|                                  |                             |
|----------------------------------|-----------------------------|
| <b>CODE</b>                      | <b>EPP180/ EPP180CL</b>     |
| <b>CAPACITY</b>                  | 1 each 20 cm deep food pan* |
| <b>EXTERIOR DIM.</b>             | L 60 x W 40 x H 31,6 cm     |
| <b>INTERIOR DIM.</b>             | L 53,8 x W 33,8 x H 25,4 cm |
| <b>UNIT WEIGHT</b>               | 1,2 kg                      |
| <b>VOLUME</b>                    | 46 L                        |
| <b>STANDARD LID COLOR EPP180</b> | Black (110)                 |

**COLOR LID EPP180CL** Lime (360), Yellow (361), Blue (362), Orange (363), Red (365)

Case Pack: 1

### Cup Holders for GN Top Loaders



|                 |                          |
|-----------------|--------------------------|
| <b>CODE</b>     | <b>DESCRIPTION</b>       |
| <b>EPPBEVH5</b> | Set of 5 EPP Cup Holders |
| <b>EPPBEVH2</b> | Set of 2 EPP Cup Holders |
| <b>EPPBEVH1</b> | Set of 1 EPP Cup Holder  |
| <b>COLOR</b>    | Black (110)              |



|                      |                             |
|----------------------|-----------------------------|
| <b>CODE</b>          | <b>EPP180S</b>              |
| <b>CAPACITY</b>      | 1 each 20 cm deep food pan* |
| <b>EXTERIOR DIM.</b> | L 60 x W 40 x H 31,6 cm     |
| <b>INTERIOR DIM.</b> | L 53,8 x W 33,8 x H 25,4 cm |
| <b>UNIT WEIGHT</b>   | 1,13 kg                     |
| <b>VOLUME</b>        | 43 L                        |
| <b>COLOR</b>         | Black (110)                 |

Case Pack: 1



|                      |                             |
|----------------------|-----------------------------|
| <b>CODE</b>          | <b>EPP180LH</b>             |
| <b>CAPACITY</b>      | 1 each 20 cm deep food pan* |
| <b>EXTERIOR DIM.</b> | L 68 x W 40 x H 32,1 cm     |
| <b>INTERIOR DIM.</b> | L 53,8 x W 35,5 x H 25,5 cm |
| <b>UNIT WEIGHT</b>   | 1,2 kg                      |
| <b>VOLUME</b>        | 46 L                        |
| <b>COLOR</b>         | Black (110)                 |

Case Pack: 1

\*Or equivalent

# Cam GoBox® Professional Grade Insulated Carriers

## GN Front Loaders



**DRIP-RESISTANT**  
Built-in condensation barrier helps front loaders to remain drip-resistant.



**4-SIDED HANDLING**  
Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.

**A BUILT-IN LABEL AREA**  
Keeps plastic menu tags (included with EPP300 and EPP400) in place for easy content identification or routing. StoreSafe® labels can also be used with Cam GoBoxes.

**GENTLE OPEN AND CLOSE**  
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.



**FULL 270° ACCESS**  
Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.



**STACKABILITY**  
Cam GoBoxes inter-stack.

**TEMPERATURE MAINTENANCE TOOLS**  
Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 Food Pans along with a Camwarmer® or Camchiller®, if desired.

TEMPERATURE RETENTION

**4+ hours**



6 Built to Deliver

**Note:** Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 120°C will result in damage to the carrier.

# Cam GoBox® Professional Grade Insulated Carriers

## GN Front Loaders

For Full-Size (GN 1/1) Food Pans





|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPP300</b>                            |
| <b>CAPACITY</b>      | 3 each 10 cm deep food pan or equivalent |
| <b>EXTERIOR DIM.</b> | L 64 x W 44 x H 47,5 cm                  |
| <b>INTERIOR DIM.</b> | L 53,5 x W 33 x H 37 cm                  |
| <b>UNIT WEIGHT</b>   | 3,2 kg                                   |
| <b>VOLUME</b>        | 60 L                                     |
| <b>COLOR</b>         | Black (110)                              |
| <b>Case Pack: 1</b>  |  |





|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPP400</b>                            |
| <b>CAPACITY</b>      | 4 each 10 cm deep food pan or equivalent |
| <b>EXTERIOR DIM.</b> | L 64 x W 44 x H 62,5 cm                  |
| <b>INTERIOR DIM.</b> | L 53,5 x W 33 x H 52,5 cm                |
| <b>UNIT WEIGHT</b>   | 3,9 kg                                   |
| <b>VOLUME</b>        | 86 L                                     |
| <b>COLOR</b>         | Black (110)                              |
| <b>Case Pack: 1</b>  |  |

## Cam GoBox Capacity Guide


### EPP160 (GN 1/1)








### EPP260 (GN 1/2)







### EPP140 (GN 1/1)



### EPP180 (GN 1/1) & EPP280 (GN 1/2)







### EPP180S







Unique design allows inter-stacking, saving 30% storage space.

### EPP300 (GN 1/1)




### EPP400 (GN 1/1)



## Camchillers®

Camchillers (Cold plates) are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.



| CODE        | CP3253   | CP2632                                 |
|-------------|--|--|
| DESCRIPTION | Camchiller GN 1/1  | Camchiller GN 1/2                      |
| FITS        | EPP140, EPP160/160CL, EPP180/180CL, EPP180LH, EPP300, EPP400 | EPP260, EPP280, EPP280BKST, EPP280RDST |
| DIMENSIONS  | L 53 x W 32,5 x H 3 cm                                       | L 32,5 x W 26,5 x H 3 cm               |
| UNIT WEIGHT | 3,9 kg   | 1,75 kg                                |
| COLOR       | Glacier Blue (443)   | Glacier Blue (443)                     |

Case Pack: 1

## Camchiller Inserts

Built-in cut-outs support cold transfer while protecting food from condensation.



| CODE          | EPPCTS  | EPPCTL                         |
|---------------|---|--------------------------------|
| DESCRIPTION   | Camchiller Insert for EPP180/180CL, EPP180S, EPP160/160CL, EPP140 | Camchiller Insert for EPP180LH |
| EXTERIOR DIM. | L 60 x W 40 x H 8,7 cm  | L 68 x W 40 x H 8,7 cm         |
| INTERIOR DIM. | L 53,7 x W 33,7 x H 3,4 cm  | L 53,7 x W 33,7 x H 3,4 cm     |
| UNIT WEIGHT   | 0,37 kg   | 0,37 kg                        |
| COLOR         | Black (110)   | Black (110)                    |

Case Pack: 1

## Camchiller Insert Kits



### EPPCTSPKG110

Standard top loader Camchiller and Insert all in one package, available for EPP180/180CL/180S, EPP160/160CL and EPP140.

### EPPCTLPKG110

Large handle Camchiller and Insert all in one package, available for EPP180LH.

## Camwarmers®

Camwarmers (Hot plates) are designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your carrier.



| CODE        | HP3253   | HP2632                                 |
|-------------|--|--|
| DESCRIPTION | Camwarmer GN 1/1   | Camwarmer GN 1/2                       |
| FITS        | EPP140, EPP160/160CL, EPP180/180CL, EPP180LH, EPP300, EPP400 | EPP260, EPP280, EPP280BKST, EPP280RDST |
| DIMENSIONS  | L 53 x W 32,5 x H 3 cm                                       | L 32,5 x W 26,5 x H 3 cm               |
| UNIT WEIGHT | 3,9 kg   | 1,75 kg                                |
| COLOR       | Fire Red (444)   | Fire Red (444)                         |

Case Pack: 1

## Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.



| CODE        | CGH100WUK 100W, 230V* UK<br>CGH200WUK 200W, 230V* UK<br>CGH100WEU 100W, 230V* EU<br>CGH200WEU 200W, 230V* EU<br>CGH1W12VCAR 100W, 12V - 14,2V Auto |
|-------------|--|
| DIMENSIONS  | L 49,5 x W 28,5 x H 1,2 cm   |
| UNIT WEIGHT | 1,1 kg   |
| COLOR       | Silver (486)   |

Case Pack: 1 \*220-240 volt alternating current.

## ThermoBarrier®

Designed to keep hot or cold air concentrated within your front-loading carrier. As food pans are being removed, use the ThermoBarrier to close up any open space created.



| CODE        | EPP3253DIV                           |
|-------------|--------------------------------------|
| DESCRIPTION | ThermoBarrier fits EPP300 and EPP400 |
| DIMENSIONS  | L 53 x W 32,7 x H 3,7 cm             |
| UNIT WEIGHT | 0,37 kg                              |
| COLOR       | Black (110)                          |

Case Pack: 1



## Color Lids

Use lids to color code for quick content identification or routing.



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>EPP3253LID</b>  |
| <b>DESCRIPTION</b> | Color lid for EPP180/180CL/180S, EPP160/160CL, EPP140.                                 |
| <b>DIMENSIONS</b>  | L 60 x W 40 x H 3,4 cm   |
| <b>UNIT WEIGHT</b> | 0,28 kg  |
| <b>COLORS</b>      | Cambro Red (365), Orange (363), Yellow (361), Lime (360), Cold Blue (362), Black (110) |

Case Pack: 1

## Camdolly®



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>CD3253EPP</b>  |
| <b>DESCRIPTION</b>   | Camdolly fits GN 1/1 Cam GoBoxes 4 swivel casters, 2 with brake |
| <b>UNIT WEIGHT</b>   | 4,5 kg  |
| <b>EXTERIOR</b>      | D 69,2 x W 42,6 x H 16,7 cm                                     |
| <b>LOAD CAPACITY</b> | 250 kg  |
| <b>COLOR</b>         | Hot Red (158)   |

Optional Transporting Strap

|                    |                   |
|--------------------|-------------------|
| <b>CODE</b>        | <b>400STP</b>     |
| <b>DESCRIPTION</b> | 381 cm long strap |
| <b>COLOR</b>       | Beige (000)       |

Case Pack: 1


## Plastic ID Labels



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>EPPID5</b>                          |
| <b>DESCRIPTION</b> | Plastic ID labels fits all Cam GoBoxes |
| <b>COLOR</b>       | (000)                                  |

Case Pack: 1

## Cam GoBox Rail Board and Divider



(2)EPP180RB +  
(1)EPP180RBD



| CODE               | EPP180RB                    | EPP180RBD                  |
|--------------------|-----------------------------|----------------------------|
| <b>DESCRIPTION</b> | Rail Board for EPP180       | Divider for EPP180         |
| <b>EXTERIOR</b>    | L 53,8 x W 25,4 x H 32,8 cm | L 30,6 x W 26,5 x H 1,9 cm |
| <b>UNIT WEIGHT</b> | 3,9 kg                      | 1,75 kg                    |
| <b>COLOR</b>       | Black (110)                 | Black (110)                |

Case Pack: 1

## Cam GoBox GN Extender



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>EPPEXT</b>                              |
| <b>DESCRIPTION</b> | 10 cm extender fits all GN 1/1 Top Loaders |
| <b>EXTERIOR</b>    | L 59,4 x W 39,9 x H 9,9 cm                 |
| <b>INTERIOR</b>    | L 53,8 x W 33,8 cm                         |
| <b>UNIT WEIGHT</b> | 0,24 kg                                    |
| <b>COLOR</b>       | Black (110)                                |



Add 10 cm to your top loader GoBox to fit oversized items.



## Beverage Service

### Beverage Holder

Modular beverage holder for transporting hot or cold drinks with ease. Interlocking units connect to hold up to 15 drinks in an EPP180. Holds 237 to 946 mL hot or cold cups.



Easy to Assemble.

Compartments are tapered to fit multiple cup sizes: 7,1 cm at bottom graduates to 8,8 cm at the top.



EPPBEVH1

| CODE     | DESCRIPTION                 | DRINK CAPACITY |
|----------|-----------------------------|----------------|
| EPPBEVH5 | Set of 5 EPP Cup Holders    | 15             |
| EPPBEVH2 | Set of 2 EPP Cup Holders    | 6              |
| EPPBEVH1 | Set of 1 EPP Cup Holder     | 3              |
| EXTERIOR | L 32,5 x W 11,4 x H 12,4 cm |                |
| COLOR    | Black (110)                 |                |

Case Pack: 1 for EPPBEVH1, Set of 2 for EPPBEVH2, and Set of 5 for EPPBEVH5

### Beverage Holder Capacity

| CAM GOBOX CODE | NUMBER OF DRINKS                          | NUMBER OF HOLDERS         |
|----------------|---|---------------------------|
| EPP180         | 15 (single layer*)<br>30 (double layer**) | 5 (single)<br>10 (double) |
| EPP160         | 15  | 5                         |
| EPP140         | 15  | 5                         |
| EPP280         | 6 (single)<br>12 (double)                 | 2 (single)<br>4 (double)  |
| EPP260         | 6   | 2                         |

\* Single layer only recommended for hot cups. Use with Beverage Plugs to prevent spilling during transport.

\*\* Double layer possible only with 350 mL or smaller cups.



### Flip Lid

| CODE        | EPPFLID   |
|-------------|---|
| DESCRIPTION | Flip Lid fits EPP140, EPP160/160CL, EPP180/180CL/180LH/180S |
| EXTERIOR    | L 60 x W 40 x H 31,6 cm                                     |
| INTERIOR    | L 53,8 x W 33,8 x H 25,4 cm                                 |
| UNIT WEIGHT | 1,2 kg  |
| VOLUME      | 46 L  |
| COLOR       | Black (110)   |

The Flip Lid offers easy access while reducing points of cross-contamination.



# Cam GoBox® 4060 Professional Grade Insulated Carriers

## Multi-Purpose Front Loader – 60 x 40 cm

### STACKABILITY

Cam GoBoxes inter-stack and also stack with major competitive brands.

### EASY IDENTIFICATION

A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe® Labels can also be used with Cam GoBoxes.

### FULL 270° ACCESS

Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.



### 4-SIDED HANDLING

Thoughtfully designed, built-in handles along the top of the front loader units allow them to be easily carried from all four sides.

### UNIQUE DESIGN

Compartment for cold chiller plate or hot plate is located on the inner back wall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

### GENTLE OPEN AND CLOSE

Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

### DRIP-RESISTANT

Built-in condensation barrier helps front loaders to remain drip-resistant.



## Front Loaders with Built-in Rails

Front-loading carriers with built-in rails are designed to hold 60 x 40 cm pans, sheet pans and trays securely in place during transport.

### Carrier with 6 Built-in Rails



|                      |                                  |
|----------------------|----------------------------------|
| <b>CODE</b>          | <b>EPP4060F6R</b>                |
| <b>EXTERIOR DIM.</b> | <b>L 77 x W 54 x H 68,7 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 61,5 x W 41 x H 58,5 cm</b> |
| <b>RAIL SPACING</b>  | <b>6 cm</b>                      |
| <b>UNIT WEIGHT</b>   | <b>6,34 kg</b>                   |
| <b>VOLUME</b>        | <b>126 L</b>                     |
| <b>COLOR</b>         | <b>Black (110)</b>               |
| <b>Case Pack:</b>    | <b>1</b>                         |

### Carrier with 9 Built-in Rails



|                      |                                  |
|----------------------|----------------------------------|
| <b>CODE</b>          | <b>EPP4060F9R</b>                |
| <b>EXTERIOR DIM.</b> | <b>L 77 x W 54 x H 68,7 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 61,5 x W 41 x H 58,5 cm</b> |
| <b>RAIL SPACING</b>  | <b>3,5 cm</b>                    |
| <b>UNIT WEIGHT</b>   | <b>6,6 kg</b>                    |
| <b>VOLUME</b>        | <b>126 L</b>                     |
| <b>COLOR</b>         | <b>Black (110)</b>               |
| <b>Case Pack:</b>    | <b>1</b>                         |

TEMPERATURE RETENTION

**4+ hours**

**Note:** Best results will be achieved by loading pans between 82° to 88°C. Loading metal pans over 120°C will result in damage to the carrier.



# Cam GoBox® Professional Grade Insulated Carriers

## Front Loader – 60 x 40 cm

### Front Loader without Rails

Multi-purpose carrier with no molded-in rails is designed for transporting 60 x 40 cm crates filled with wrapped, prepackaged foods. This carrier can also be modified for versatility to include optional, stainless steel adjustable rails, EPP4060FPR1\*, for transporting a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.



|                      |                                  |
|----------------------|----------------------------------|
| <b>CODE</b>          | <b>EPP4060FNR</b>                |
| <b>EXTERIOR DIM.</b> | <b>L 77 x W 54 x H 68,7 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 61,5 x W 41 x H 58,5 cm</b> |
| <b>UNIT WEIGHT</b>   | <b>6,1 kg</b>                    |
| <b>VOLUME</b>        | <b>155 L</b>                     |
| <b>COLOR</b>         | <b>Black (110)</b>               |

**Case Pack:** 1 \*Additional rails can be purchased separately. See Accessories (Page 13).

### Front Loader with Adjustable Rails

The multi-purpose carrier with adjustable rails is designed with 2 sets of stainless steel adjustable rails.\* This exclusive design provides the operator with maximum flexibility to transport a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.



|                      |                                  |
|----------------------|----------------------------------|
| <b>CODE</b>          | <b>EPP4060FADJR</b>              |
| <b>EXTERIOR DIM.</b> | <b>L 77 x W 54 x H 68,7 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 61,5 x W 41 x H 58,5 cm</b> |
| <b>UNIT WEIGHT</b>   | <b>8,17 kg</b>                   |
| <b>VOLUME</b>        | <b>155 L</b>                     |
| <b>COLOR</b>         | <b>Black (110)</b>               |

**Case Pack:** 1 \*Additional rails can be purchased separately. See Accessories (Page 13).

## Top Loaders for 60 x 40 cm Crates



Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

Top loading 60 x 40 cm carriers are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed to transport bakery crates and more, 60 x 40 GoBoxes even have room for a cold plate Camchiller® or hot plate Camwarmer® to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.



20 cm Deep Top Loader

30 cm Deep Top Loader

| <b>CODE</b>          | <b>EPP4060T200</b>                 | <b>EPP4060T300</b>                 |
|----------------------|------------------------------------|------------------------------------|
| <b>EXTERIOR DIM.</b> | <b>L 69 x W 49 x H 27 cm</b>       | <b>L 69 x W 49 x H 37 cm</b>       |
| <b>INTERIOR DIM.</b> | <b>L 62,5 x W 42,5 x H 20,5 cm</b> | <b>L 62,5 x W 42,5 x H 30,5 cm</b> |
| <b>UNIT WEIGHT</b>   | <b>1,4 kg</b>                      | <b>1,7 kg</b>                      |
| <b>VOLUME</b>        | <b>53 L</b>                        | <b>80 L</b>                        |
| <b>COLOR</b>         | <b>Black (110)</b>                 | <b>Black (110)</b>                 |

**Case Pack:** 1

TEMPERATURE RETENTION

**4+ hours**



12 Built to Deliver

**Note:** Best results will be achieved by loading pans between 82° to 88°C. Loading metal pans over 120°C will result in damage to the carrier.

# Cam GoBox® 4060 Accessories

## Camchiller®

Camchiller (Cold plate) is designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your top-loading carrier or at the back of your front-loading carrier.



|                    |                           |
|--------------------|---------------------------|
| <b>CODE</b>        | <b>CP3253</b>             |
| <b>DESCRIPTION</b> | Camchiller GN 1/1         |
| <b>FITS</b>        | Fits all Cam GoBoxes 4060 |
| <b>DIMENSIONS</b>  | L 53 x W 32,5 x H 3 cm    |
| <b>UNIT WEIGHT</b> | 3,9 kg                    |
| <b>COLOR</b>       | Glacier Blue (443)        |

Case Pack: 1

## Camwarmer®

Camwarmer (Hot plate) is designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your top-loading carrier or at the back of your front-loading carrier.



|                    |                           |
|--------------------|---------------------------|
| <b>CODE</b>        | <b>HP3253</b>             |
| <b>DESCRIPTION</b> | Camwarmer GN 1/1          |
| <b>FITS</b>        | Fits all Cam GoBoxes 4060 |
| <b>DIMENSIONS</b>  | L 53 x W 32,5 x H 3 cm    |
| <b>UNIT WEIGHT</b> | 3,25 kg                   |
| <b>COLOR</b>       | Fire Red (444)            |

Case Pack: 1

## Camdolly® for Cam GoBoxes 4060



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>CD4060EPP</b>  |
| <b>DESCRIPTION</b>   | Camdolly fits Cam GoBoxes 4060 4 swivel casters, 2 with brake |
| <b>DIMENSIONS</b>    | D 71 x W 51 x H 16 cm   |
| <b>UNIT WEIGHT</b>   | 5,27 kg   |
| <b>LOAD CAPACITY</b> | 250 kg  |
| <b>COLOR</b>         | Hot Red (158)   |

Case Pack: 1

## Cam GoBox 60x40 Extender

Add 10 cm to your top loader GoBox to fit oversize items.



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>EPP4060EXT</b>                            |
| <b>DESCRIPTION</b> | 10 cm Extender fits EPP4060T200, EPP4060T300 |
| <b>EXTERIOR</b>    | L 68,7 x W 48,7 x H 10,1 cm                  |
| <b>UNIT WEIGHT</b> | 0,30 kg                                      |
| <b>COLOR</b>       | Black (110)                                  |

Case Pack: 1

## Adjustable Rail Kit for EPP4060FNR

Stainless Steel frames and 2 sets of rails are designed to offer the operator the flexibility to adjust and create custom spaces as needed in-between the rails.



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>EPP4060FPR1</b>                         |
| <b>DESCRIPTION</b> | Stainless Steel frames and 2 sets of rails |
| <b>DIMENSIONS</b>  | L 60 x W 1 x H 58 cm                       |
| <b>UNIT WEIGHT</b> | 2,07 kg                                    |
| <b>COLOR</b>       | Silver (000)                               |

Case Pack: 1

## Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.



|                    |   |
|--------------------|---|
| <b>CODE</b>        | <b>CGH100WUK</b> 100W, 230V* UK           |
|                    | <b>CGH200WUK</b> 200W, 230V* UK           |
|                    | <b>CGH100WEU</b> 100W, 230V* EU           |
|                    | <b>CGH200WEU</b> 200W, 230V* EU           |
|                    | <b>CGH1W12VCAR</b> 100W, 12V - 14,2V Auto |
| <b>DIMENSIONS</b>  | L 49,5 x W 28,5 x H 1,2 cm                |
| <b>UNIT WEIGHT</b> | 1,1 kg                                    |
| <b>COLOR</b>       | Silver (486)                              |

Case Pack: 1 \*220-240 volt alternating current.

## Kit of Rails for EPP4060FPR1

Kit of 2 adjustable stainless steel rails can be purchased separately to transport more items within the same carrier.



|                    |   |
|--------------------|---|
| <b>CODE</b>        | <b>EPP4060FAR</b>                         |
| <b>DESCRIPTION</b> | Kit of 2 adjustable stainless steel rails |
| <b>DIMENSIONS</b>  | L 60 x W 3 x H 3 cm                       |
| <b>UNIT WEIGHT</b> | 0,42 kg                                   |
| <b>COLOR</b>       | Silver (000)                              |

Case Pack: 1

## Plastic ID Labels



|                    |   |
|--------------------|---|
| <b>CODE</b>        | <b>EPPID5</b>                               |
| <b>DESCRIPTION</b> | Plastic ID labels fits all Cam GoBoxes 4060 |
| <b>COLOR</b>       | (000)                                       |

Case Pack: 1



# Cam GoBox® Professional Grade Insulated Carriers

## Top-Loading Pizza Carrier

Vent releases steam to keep crust crispy.

Holds 33 x 33 cm pizza boxes.



Available in four different heights that hold from two to eight pizzas.

TEMPERATURE RETENTION

**4+ hours**



### Cam GoBox Pizza Top Loading Carrier 10 cm Tall



|                      |                                |
|----------------------|--------------------------------|
| <b>CODE</b>          | <b>EPPZ35100</b> without Strap |
| <b>EXTERIOR DIM.</b> | L 41 x W 41 x H 17,4 cm        |
| <b>INTERIOR DIM.</b> | L 35 x W 35 x H 10 cm          |
| <b>UNIT WEIGHT</b>   | 0,68 kg                        |
| <b>CAPACITY*</b>     | 2 pizzas                       |
| <b>COLOR</b>         | Black (110)                    |

Case Pack: 1

### Cam GoBox Pizza Top Loading Carrier 17,5 cm Tall



|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPPZ35175</b> without Strap<br><b>EPPZ35175BST</b> with Black Strap<br><b>EPPZ35175RST</b> with Red Strap |
| <b>EXTERIOR DIM.</b> | L 41 x W 41 x H 24,9 cm  |
| <b>INTERIOR DIM.</b> | L 35 x W 35 x H 17,5 cm  |
| <b>UNIT WEIGHT</b>   | 0,82 kg / 0,89 kg with Strap   |
| <b>CAPACITY*</b>     | 4 pizzas   |
| <b>CARRIER COLOR</b> | Black (110)  |

Case Pack: 1

### Cam GoBox Pizza Top Loading Carrier 26,5 cm Tall



|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPPZ35265</b> without Strap<br><b>EPPZ35265BST</b> with Black Strap<br><b>EPPZ35265RST</b> with Red Strap |
| <b>EXTERIOR DIM.</b> | L 41 x W 41 x H 33,9 cm  |
| <b>INTERIOR DIM.</b> | L 35 x W 35 x H 26,5 cm  |
| <b>UNIT WEIGHT</b>   | 1 kg / 1,07 kg with Strap  |
| <b>CAPACITY*</b>     | 6 pizzas   |
| <b>CARRIER COLOR</b> | Black (110)  |

Case Pack: 1

### Cam GoBox Pizza Top Loading Carrier 33 cm Tall



|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPPZ35330</b> without Strap<br><b>EPPZ35330BST</b> with Black Strap<br><b>EPPZ35330RST</b> with Red Strap |
| <b>EXTERIOR DIM.</b> | L 41 x W 41 x H 40,4 cm  |
| <b>INTERIOR DIM.</b> | L 35 x W 35 x H 33 cm  |
| <b>UNIT WEIGHT</b>   | 1,23 kg / 1,3 kg with Strap  |
| <b>CAPACITY*</b>     | 8 pizzas   |
| <b>CARRIER COLOR</b> | Black (110)  |


Case Pack: 1

\*With 33 x 33 x 4 cm Pizza Box



# Cam GoBox® Professional Grade Insulated Carriers

## Beverage Carrier and EPP280 with Strap



### Beverage Carrier



TEMPERATURE RETENTION

**4+ hours**



|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPPBEVBKST with Black Strap</b><br><b>EPPBEVRDST with Red Strap</b> |
| <b>EXTERIOR DIM.</b> | <b>L 42 x W 33,5 x H 42 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 35,8 x W 27,3 x H 36,7 cm</b>                                     |
| <b>UNIT WEIGHT</b>   | <b>1,02 kg</b>   |
| <b>CAPACITY</b>      | <b>35 L</b>  |
| <b>CARRIER COLOR</b> | <b>Black (110)</b>   |
| <b>Case Pack:</b>    | <b>1</b>   |

### EPP280 with Strap




|                      |  |
|----------------------|--|
| <b>CODE</b>          | <b>EPP280BKST with Black Strap</b><br><b>EPP280RDST with Red Strap</b> |
| <b>EXTERIOR DIM.</b> | <b>L 39 x W 33 x H 31,6 cm</b>   |
| <b>INTERIOR DIM.</b> | <b>L 33 x W 27 x H 25,3 cm</b>   |
| <b>UNIT WEIGHT</b>   | <b>0,8 kg</b>  |
| <b>CAPACITY</b>      | <b>22,3 L</b>  |
| <b>CARRIER COLOR</b> | <b>Black (110)</b>   |
| <b>Case Pack:</b>    | <b>1</b>   |



# Cam GoBox® Professional Grade Insulated Carriers

## Multipurpose Top Loader



Designed to hold disposable dishware or 5 liter Gelato pans.

Cam GoBoxes inter-stack and also stack with major competitive brands.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

Recessed handles ease carrying and storage.

### HOLDING CAPACITY



| CAM GOBOXES | 18 x 18 x 3 CM | 19 x 20 x 6 CM | GN 1/1 FOOD PAN 10 CM DEEP |
|-------------|----------------|----------------|----------------------------|
| EPP180X     | 24             | 24             | 2                          |
| EPP180XL    | 30             | 42             | 3                          |
| EPP180XLT   | 42             | 48             | 4                          |

**For Disposable Sealed Dishes and Gelato Pans**  
20,5 cm deep



| CODE          | EPP180X                   |
|---------------|---------------------------|
| EXTERIOR DIM. | L 61 x W 43 x H 27 cm     |
| INTERIOR DIM. | L 54,8 x W 36,8 x H 20 cm |
| UNIT WEIGHT   | 1,18 kg                   |
| VOLUME        | 41 L                      |
| COLOR         | Black (110)               |

Case Pack: 1

**For Disposable Sealed Dishes and Gelato Pans**  
25 cm deep



| CODE          | EPP180XL                  |
|---------------|---------------------------|
| EXTERIOR DIM. | L 61 x W 43 x H 32 cm     |
| INTERIOR DIM. | L 54,8 x W 36,8 x H 25 cm |
| UNIT WEIGHT   | 1,33 kg                   |
| VOLUME        | 50,5 L                    |
| COLOR         | Black (110)               |

Case Pack: 1

**For Disposable Sealed Dishes and Gelato Pans**  
32 cm deep



| CODE          | EPP180XLT                 |
|---------------|---------------------------|
| EXTERIOR DIM. | L 61 x W 43 x H 39 cm     |
| INTERIOR DIM. | L 54,8 x W 36,8 x H 32 cm |
| UNIT WEIGHT   | 1,45 kg                   |
| VOLUME        | 64,5 L                    |
| COLOR         | Black (110)               |

Case Pack: 1

### TEMPERATURE RETENTION

# 4+ hours

Gelato holds for 1 hour.






# Cam GoBox® Professional Grade Insulated Carriers

## Meal Delivery Boxes

### Four-Compartment Meal Delivery Box

Designed to accommodate two complete meals (including hot item, cold item, bread or fruit, drink and cutlery), the 4-Compartment Cam GoBox is ideal for senior feeding, schools, hospitals and catering.



- A. Plate: 19 x 19 x 11 cm
- B. Plate: 21 x 21 x 11 cm
- C. Bottle and Cutlery: 21 x 8,5 x 11 cm
- D. Fruit/Bread: 18 x 8 x 11 cm


|                     |                                |
|---------------------|--------------------------------|
| <b>CODE</b>         | <b>EPPMD4835</b>               |
| <b>EXTERIOR</b>     | <b>L 48 x W 35 x H 16,7 cm</b> |
| <b>INTERIOR</b>     | <b>L 40 x W 29 x H 11 cm</b>   |
| <b>UNIT WEIGHT</b>  | <b>400 g</b>                   |
| <b>COLOR</b>        | <b>Blue (159)</b>              |
| <b>Case Pack: 1</b> |                                |

### Two-Compartment Meal Delivery Box

This 2-compartment box is ideal for delivering a single meal. Each compartment has its own lid to protect temperatures, whether hot or cold.



**New!**



- A. Plate: 18,3 x 22,6 x 10,9 cm
- B. Plate: 18,3 x 22,6 x 10,9 cm

|                     |  |
|---------------------|--|
| <b>CODE</b>         | <b>EPPMDB4428</b>                                      |
| <b>EXTERIOR</b>     | <b>L 43,7 x W 27,6 x H 17,5 cm</b>                     |
| <b>INTERIOR</b>     | <b>L 18,3 x W 22,6 x H 10,9 cm</b><br>Each Compartment |
| <b>UNIT WEIGHT</b>  | <b>275 g</b>   |
| <b>COLOR</b>        | <b>Blue (159)</b>                                      |
| <b>Case Pack: 1</b> |  |

### DISPOSABLE DISHES HOLDING CAPACITY



| CAM GOBOXES | 18 x 18 x 3 CM | 19 x 20 x 6 CM |
|-------------|----------------|----------------|
| EPPMD4835   | 4              | 2              |
| EPPMDB4428  | 3              | 2              |

TEMPERATURE RETENTION

**2+ hours**



# Cam GoBox® Professional Grade Insulated Carriers

## The Tablotherm Cam GoBox Meal Delivery System



Excellent insulation and temperature retention.

Made of expanded polypropylene.

Maintains hot and cold foods safe in one unit for up to 60 minutes.

Stackable, lightweight individual meal delivery system for easy transportation and storage.

- |   |                                     |                               |   |  |                             |   |                                 |                                    |
|---|-------------------------------------|-------------------------------|---|--|-----------------------------|---|---------------------------------|------------------------------------|
|   |                                     |                               |   |  |                             |   |                                 |                                    |
| <b>122 401 118</b>                        | <b>122 701 118</b>                  | <b>122 400 021</b>            | <b>122 400 023</b>                            | <b>122 700 021</b><br><b>122 700 023</b>     | <b>122 500 014</b>          | <b>122 700 014</b>                          | <b>MDSB16 (480)</b>             | <b>CLRSB16T (490)</b>              |
| Rectangular porcelain plate<br>11 x 18 cm | Transparent rectangular plate cover | Round porcelain plate ø 21 cm | Two-Compartment round porcelain plate ø 23 cm | Transparent plate covers ø 21,5 cm ø 23,5 cm | Round porcelain bowl 500 mL | Rubber hermetic system bowl cover ø 14,5 cm | Shoreline insulated bowl 500 mL | Polypropylene bowl cover ø 14,5 cm |
|   |                                     |                               |   |  |                             |   |                                 |                                    |

TEMPERATURE RETENTION

**1 hour**



# Cam GoBox® Professional Grade Insulated Carriers

## The Tablotherm Cam GoBox Meal Delivery System

### Tablotherm Cam GoBox® Only



|                      |                                |
|----------------------|--------------------------------|
| <b>CODE</b>          | <b>ITENEPP</b>                 |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b> |
| <b>COLOR</b>         | Grey (107)                     |
| <b>Case Pack: 1</b>  |                                |



### Tablotherm Cam GoBox with Accessories



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP1118</b>  |
| <b>INCLUDED</b>      | 2 rectangular plates with covers<br>2 round bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>                                |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP21</b>                                      |
| <b>INCLUDED</b>      | 1 round plate with cover<br>2 round bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>                        |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP23</b>  |
| <b>INCLUDED</b>      | 1 two compartment plate with cover<br>2 round bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>                                  |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP1118H</b>   |
| <b>INCLUDED</b>      | 2 rectangular plates with covers<br>2 round insulated bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>  |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP21H</b>   |
| <b>INCLUDED</b>      | 1 round plate with cover<br>2 round insulated bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>                                  |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |



|                      |   |
|----------------------|---|
| <b>CODE</b>          | <b>ITENEPP23H</b>   |
| <b>INCLUDED</b>      | 1 two-compartment round plate with cover<br>2 round insulated bowls with covers |
| <b>EXTERIOR DIM.</b> | <b>L 37 x W 53 x H 11,8 cm</b>  |
| <b>COLOR</b>         | Grey (107)  |
| <b>Case Pack: 1</b>  |   |

# Cambro® GoBags® Professional Grade Insulated Carriers

## Pizza and Catering Bags – Delivery and Drop Off

Cambro GoBags help protect the signature items your customers crave. Your recipes, your quality, and your brand are delivered to your customer — safe and sound.



Prep

Holding for Pickup,  
Curbside or Takeout

Transport

Front Door

## Quality Construction with Over 35 Years of Proven Performance

High-quality materials and sturdy construction are essential to protecting food quality and temperature from kitchen to customer. Cambro GoBags feature the same design as the original insulated pizza bag invented in 1983 by Ingrid Kosar, founder of Thermal Bags by Ingrid.





- Thick, sturdy 600-denier polyester fabric exterior.
- Breathable material nylon material protects food quality.
- High-density insulation keeps food hot.
- Heavy-duty, sewn-in straps and ticket pouch.



## Cambro® GoBags®

### Standard Pizza Bags



|                     |  |
|---------------------|--|
| <b>CODE</b>         | <b>GBP216</b>                                    |
| <b>DESCRIPTION</b>  | Carries two 40,6 cm or three 35,5 cm pizza boxes |
| <b>DIMENSIONS</b>   | L 44,5 x W 44,5 x H 16,5 cm                      |
| <b>COLORS</b>       | Black (110), Red (521)                           |
| <b>Case Pack: 4</b> |  |



|                     |   |
|---------------------|---|
| <b>CODE</b>         | <b>GBP318</b>                                     |
| <b>DESCRIPTION</b>  | Carries three 45,7 cm or four 40,6 cm pizza boxes |
| <b>DIMENSIONS</b>   | L 51 x W 51 x H 23 cm                             |
| <b>COLORS</b>       | Black (110), Red (521)                            |
| <b>Case Pack: 4</b> |   |



|                     |   |
|---------------------|---|
| <b>CODE</b>         | <b>GBP518</b>   |
| <b>DESCRIPTION</b>  | Carries five 45,7 cm or six or more 40,6 cm pizza boxes |
| <b>DIMENSIONS</b>   | L 49,5 x W 49,5 x H 32 cm                               |
| <b>COLOR</b>        | Black (110)   |
| <b>Case Pack: 4</b> |   |



|                     |  |
|---------------------|--|
| <b>CODE</b>         | <b>GBP220</b>                                  |
| <b>DESCRIPTION</b>  | Carries two 51 cm or three 45,7 cm pizza boxes |
| <b>DIMENSIONS</b>   | L 55 x W 55 x H 16,5 cm                        |
| <b>COLORS</b>       | Black (110), Red (521)                         |
| <b>Case Pack: 4</b> |  |



- Thick, sturdy nylon fabric.
- Vinyl interior is easy to clean.
- High-density insulation keeps food hot or cold.
- Heavy-duty, sewn-in straps and ticket pouch.
- Folding bags save space during storage.

## Folding Catering and Delivery Bags



|                    |                            |
|--------------------|----------------------------|
| <b>CODE</b>        | <b>GBD101011</b>           |
| <b>DESCRIPTION</b> | Small Folding Delivery Bag |
| <b>DIMENSIONS</b>  | L 25,5 x W 25,5 x H 28 cm  |
| <b>COLOR</b>       | Black (110)                |
| Case Pack: 4       |                            |



|                    |                             |
|--------------------|-----------------------------|
| <b>CODE</b>        | <b>GBD121515</b>            |
| <b>DESCRIPTION</b> | Medium Folding Delivery Bag |
| <b>DIMENSIONS</b>  | L 30,5 x W 38 x H 38 cm     |
| <b>COLOR</b>       | Black (110)                 |
| Case Pack: 4       |                             |



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>GBD211417</b>                                     |
| <b>DESCRIPTION</b> | Large Folding Delivery Bag<br>Holds GN 1/1 food pans |
| <b>DIMENSIONS</b>  | L 53,5 x W 35,5 x H 43 cm                            |
| <b>COLOR</b>       | Black (110)  |
| Case Pack: 4       |  |

## Top Loading Catering and Delivery Bags



|                    |                       |
|--------------------|-----------------------|
| <b>CODE</b>        | <b>GBD13913</b>       |
| <b>DESCRIPTION</b> | Small Delivery Bag    |
| <b>DIMENSIONS</b>  | L 33 x W 23 x H 33 cm |
| <b>COLOR</b>       | Black (110)           |
| Case Pack: 4       |                       |



|                    |                           |
|--------------------|---------------------------|
| <b>CODE</b>        | <b>GBD151212</b>          |
| <b>DESCRIPTION</b> | Medium Delivery Bag       |
| <b>DIMENSIONS</b>  | L 38 x W 30,5 x H 30,5 cm |
| <b>COLOR</b>       | Black (110)               |
| Case Pack: 4       |                           |



|                    |  |
|--------------------|--|
| <b>CODE</b>        | <b>GBD211414</b>                             |
| <b>DESCRIPTION</b> | Large Delivery Bag<br>Holds GN 1/1 food pans |
| <b>DIMENSIONS</b>  | L 53,5 x W 35,5 x H 35,5 cm                  |
| <b>COLOR</b>       | Black (110)                                  |
| Case Pack: 4       |  |

# Cambro® GoBags® Professional Grade Insulated Carriers

## Delivery Backpacks

Hands-free delivery, whether walking or biking, to ensure food arrives safe and delicious.



Side-mounted straps for comfortable hand carrying.

Reflector tape enhances visibility and safety.



Padded shoulder straps adjust to fit comfortably.



2 buckles and hook and loop fastener keep backpack securely closed.

Large side pocket holds small items.

Adjustable, plastic chest buckle holds backpack in place.



Folds for compact storage.

Divider secures with hook and loop strips to safely separate menu items.



| CODE        | GBBP111417                | GBBP151417                |
|-------------|---------------------------|---------------------------|
| DESCRIPTION | Small Delivery Backpack   | Large Delivery Backpack   |
| EXTERIOR    | L 27,9 x W 35,5 x H 43 cm | L 38,1 x W 35,5 x H 43 cm |
| COLOR       | Black (110)               | Black (110)               |

Case Pack: 4





# Tips

## Cam GoBoxes®

1. Fill carrier to capacity to maximize temperature retention.
2. Use food pan or plastic liner to keep carrier sanitary.
3. Clean up spills promptly after use.
4. Air carrier out following use.
5. Wash regularly with vinegar and water solution.

## Cambro GoBags®

1. Keep bag tightly closed during delivery.
2. Promptly wipe up spills.
3. Wipe down bag after use.
4. Air dry after use or cleaning.



## Cambro Delivery Options Reference Guide



| Application                                     | GoBox® | GoBag® |
|---|--------|--------|
| Holding for takeout and delivery                | •      |        |
| Delivery/Transport                              | •      | •      |
| Retains hot or cold temperatures 1 hour or less |        | •      |
| Retains hot or cold temperatures 4 hours        | •      |        |
| <b>Capacity</b>                                 |        |        |
| Pizza   | •      | •      |
| Takeout containers                              | •      | •      |
| GN pans and disposable pans for catering        | •      | •      |
| <b>Transport</b>                                |        |        |
| Product weight less than 2,5 kilograms          | •      | •      |
| Stackable on dolly                              | •      |        |
| Built-in carrying strap                         |        | •      |
| Optional carrying strap                         | •      |        |
| <b>Care and Storage</b>                         |        |        |
| Collapsible for storage                         |        | •      |
| Dishwasher safe                                 | •      |        |
| Easy cleaning                                   | •      | •      |

Find the right GoBag® or GoBox® for your takeaway containers! Enter your container dimensions and we'll show how many you can fit. <https://apps.cambro.com/togo>



**CAMBRO**  
TRUSTED FOR GENERATIONS™  
[www.cambro.com](http://www.cambro.com)

CAMBRO U.S.A.  
TEL: 1(714) 848-1555  
FAX: 1(714) 230-4375  
[international@cambro.com](mailto:international@cambro.com)

CAMBRO EUROPEAN LOGISTICS  
TEL: (49) 7022 90 100 0  
FAX: (49) 7022 90 100 19  
[cambroeuropa@cambro.com](mailto:cambroeuropa@cambro.com)

CAMBRO UK  
TEL: 0800 587 0057 Toll Free  
FAX: 0845 280 3411  
[cambrouk@cambro.com](mailto:cambrouk@cambro.com)

CAMBRO IRELAND  
TEL: 1800 509 046 Toll Free  
FAX: 01 633 55 76  
[cambroireland@cambro.com](mailto:cambroireland@cambro.com)

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.  
LITX21DELIVEREN